


MINÙ-R



Minù-R è una collezione di anelli decorativi luminosi a luce diretta o a luce interna. Il design elegante e leggero è di grande impatto scenico ed è ideale per uffici, contesti residenziali e commerciali.

Minù-R is a collection of decorative lighting rings with direct or internal light. It can offer such elegant and light design, with great scenic impact; it is the ideal choice for offices, residential and commercial environments.



Diffuser



Square




Perimeter

Lap








MINÙ-R SQUARE

Profilo realizzato in lega di alluminio estruso curvato e verniciato a polveri con schermo di protezione in policarbonato. Tono bianco 4000K, 3000K o 2700K. Potenze da 55W/750mm a 110W/1500mm. Accessori per la sospensione da ordinare separatamente. Alimentatore on-off o dimmerabile incluso nel rosone.

Structure in powder coated curved extrusion of aluminium alloy with opal diffuser. 4000K, 3000K or 2700K white light tone. Powers from 55W/560mm up to 110W/1500mm. Suspension kit to be ordered separately. On-Off or dimmable driver included in the ceiling cup.



MINÙ-R LAP

Profilo realizzato in lega di alluminio estruso curvato e verniciato a polveri con schermo di protezione in policarbonato. Tono bianco 4000K, 3000K o 2700K. Potenze da 50W/1150mm a 95W/2300mm. Accessori per la sospensione da ordinare separatamente. Alimentatore on-off o dimmerabile incluso nel rosone.

Structure in powder coated curved extrusion of aluminium alloy with opal diffuser. 4000K, 3000K or 2700K white light tone. Powers from 50W/1150mm up to 95W/2300mm. Suspension kit to be ordered separately. On-Off or dimmable driver included in the ceiling cup.

CE	LED
III	IP40
RG0	Driver escl./excl.
L80 B10	50000H
CRI 80/90	



MINÙ-R

SQUARE

Z.
COLOR

bianco raggrinzante/rough white - **32** 
nero raggrinzante/rough black - **33** 
custom - **99** 

OPALE
OPAL
1

X.
CRI80
5

CRI90
6


Y.
4000K
7

3000K
8

2700K
9

DIM


A2



COD. ON/OFF

L.MM

A SOSPENSIONE/SUSPENDED



W

LM

MNU.5646. 1 X Y. Z
MNU.5648. 1 X Y. Z

750
1500

55W/24V LED
110W/24V LED

4972/4345/4157
9460/9100/8992

ACCESSORI / ACCESSORIES



MNU.SQ1
Kit di sospensione L.2000mm e driver
55W.
Suspension kit L.2000mm and driver
55W.



MNU.SQ3
Kit di sospensione L.2000mm e driver
110W.
Suspension kit L.2000mm and driver
110W.



CE	LED
III	IP40
RG0	Driver escl./excl.
L80 B10	50000H
CRI 80/90	

- 32** - bianco raggrinzante/rough white
 33 - nero raggrinzante/rough black
 99 - custom

Z.
COLOR

MINÙ-R LAP

		A SOSPENSIONE/SUSPENDED	
		W	LM
COD. ON/OFF	L.MM		
MNU.5656. 1 X Y. Z	1150	50W/24V LED	4520/3950/3780
MNU.5659. 1 X Y. Z	2300	95W/24V LED	8170/7860/7767

OPALE
OPAL
1

X.
CRI80
5

CRI90
6

Y.
4000K
7

3000K
8


2700K
9

DIM
A2

ACCESSORI / ACCESSORIES



MNU.SL1
Kit di sospensione L.2000mm e driver 50W.
Suspension kit L.2000mm and driver 50W.



MNU.SL3
Kit di sospensione L.2000mm e driver 95W.
Suspension kit L.2000mm and driver 95W.