


UROBORO

L'Uroboro è un simbolo antico che rappresenta un serpente o un drago che si morde la coda, generando un cerchio senza inizio né fine. Allo stesso modo questo apparecchio riprende il tema della ciclicità, attraverso la creazione di un cerchio luminoso continuo.

The Uroboro is an ancient symbol representing a snake or a dragon that bites its tail, generating a circle with neither beginning or end. In the same way, this luminaire takes up the theme of cyclicity, through the creation of a continuous luminous circle.



UROBORO

Profilo tubolare per interni con effetto luminoso continuo a 360° dal design pulito e minimale per installazione a sospensione. Disponibile in due diametri. Diffusore opale. Driver escluso.

Tubular profile for interiors with 360° continuous lighting effect and a clean minimal design for suspended installation. Available in two sizes. Opal diffuser. Driver excluded.

CE	LED
III	IP54
RG0	Driver escl./excl.
L80 B10	50000H
CRI 80	



UROBORO

COLOR

opale/opal - 22 ☐

OPALE
OPAL
0


CRI80
5

Y.
4000K
7


3000K
8

2700K
9

DIM
A2



A SOSPENSIONE/SUSPENDED



COD. ON/OFF

D. MM

W

LM

DRIVER

RBR.3809. 0 5 Y.22
RBR.3815. 0 5 Y.22

800
1600

45W/24V LED
90W/24V LED

5350/5285/5125
10700/10570/10250

escluso/excluded
escluso/excluded

ACCESSORI / ACCESSORIES



RBR.SP1
Kit di sospensione L.2000mm e driver IP20 50W.
Suspension kit L.2000mm and driver IP20 50W.



RBR.SP3
Kit di sospensione L.2000mm e driver IP20 110W.
Suspension kit L.2000mm and driver IP20 110W.



RBR.SP1IP
Kit di sospensione L.2000mm e driver IP54 50W.
Suspension kit L.2000mm and driver IP54 50W.



RBR.SP3IP
Kit di sospensione L.2000mm e driver IP54 110W.
Suspension kit L.2000mm and driver IP54 110W.

