




Mini Tebe testa, 10W, 230V, 4000K, antracite

Mini Tebe head, 10W, 230V, 4000K, anthracite



Descrizione/Description



IT: Corpo interamente in acciaio inox con verniciatura a polvere di poliestere. Grado di protezione IP65. Schermo di protezione in policarbonato satinato infrangibile. Guarnizione in gomma in silicone. Equipaggiato con LED di colore bianco 4000K o 3000K. Potenza di 10W a 230V. Cavo di collegamento H05RN-F 3x1mm.

ENG: Structure and closing ring made of stainless steel with polyester powder coating. IP65 protection degree. Protection shield made in satin polycarbonate. Silicone rubber gasket. Equipped with white LED 4000K or 3000K. Power of 10W of 230V. H05RN-F 3 connection cable.

Codice/Code	MTY.7123.057.06
Tonalità/Light tone	4000K
Potenza/Power	10W
Fusso luminoso/Luminous flux	1001 lm - 1500 lm
Colore/Color	Grigio antracite
Driver/Driver	Driver On/Off



Accessori/Accessories



AAA.CN2000.00
Connettore IP68, 2 vie.

AAA.CN2000.00
IP68 waterproof connector, 2 ways.



LAA.SP00.000.00
Picchetto Inox

LAA.SP00.000.00
Inox Spike.



MTY.CM000000.00
Cassaforma mini / micro Tebe

MTY.CM000000.00
Mini / Micro Tebe recessed box



MTY.ST.029.06
Micro o Mini Tebe, Stelo inox verniciato H=290mm, antracite

MTY.ST.029.06
Micro or Mini Tebe, painted stainless steel pole H=290mm, anthracite



MTY.ST.084.06
Micro o Mini Tebe, Stelo inox verniciato H=840mm, antracite

MTY.ST.084.06
Micro or Mini Tebe, painted stainless steel pole H=840mm, anthracite



MTY.ST.115.06
Micro o Mini Tebe, Stelo inox verniciato H=1150mm, antracite

MTY.ST.115.06
Micro or Mini Tebe, painted stainless steel pole H=1150mm, anthracite